composites

Published by Butterworth-Heinemann Ltd

Index to volume 23 (1992)

No 1 (January) pp 1–72
No 2 (March) pp 73–144
No 3 (May) pp 145–208
No 4 (July) pp 209–288
No 5 (September) pp 289–384
No 6 (November) pp 385–480

Author Index

Akay, M.
Bearing strength of as-cured and hygrothermally conditioned carbon fibre/epoxy composites under static and dynamic loading 101
Alderson, K.L. and Evans, K.E.
Failure mechanisms during the transverse loading of filament-wound pipes under static and low velocity impact conditions 167
Asai, H. see Nakao, F. 365
Atcholi, K.E., Oytana, C., Varchon, D. and Perreux, D.
Superposed torsion–flexure of composite materials: experimental method and example of application 327

Bader, M.G. see Leaity, M.A. 387
Bader, M.G. see Leaity, M.A. 397
Batchelder, D.N. see Filiou, C. 28
Beaumont, P.W.R. see Spearing, S.M. 305
Bellamy, A.M. see Groves, D.J. 75
Berlin, P., Dickman, O. and Larsson, F.
Effects of heat radiation on carbon/PEEK, carbon/epoxy and glass/epoxy composites 235
Besant, C.B. see Etemad, M.R. 253
Boey, F.Y.C. and Lye, S.W.
Void reduction in autoclave processing of thermoset composites. Part 1: High pressure effects on void reduction 261
Boey, F.Y.C. and Lye, S.W.
Void reduction in autoclave processing of thermoset composites. Part 2: Void reduction in a microwave curing process 266

Cazeneuve, C., Joguet, P., Maile, J.C. and Oytana, C.
Predicting the mechanical behaviour of Kevlar/epoxy and carbon/epoxy filament-wound tubes 415
Chen, C.Q. see Gan, Y.X. 435
Chung, D.D.L. see Yang, X. 453
Chung, D.D.L. see Zhu, M. 355
Coppola, J.C. see Hamada, H. 93
Coppola, J.C. see Hamada, H. 245
Cudmore, A.M. see Mead, D.J. 223
Cui, W.C., Wisnom, M.R. and Jones, M.
A comparison of failure criteria to predict delamination of unidirectional glass/epoxy specimens waisted through the thickness 158
Curtis, P.T. see Leaity, M.A. 387

Daadbin, A., Gamble, A.J. and Sumner, N.D.
The effect of the interphase and material properties on load transfer in fibre composites 210
De Goeje, M.P. and Wapenaar, K.E.D.
Non-destructive inspection of carbon fibre-reinforced plastics using eddy current methods 147
Demdoum, L. see Trotignon, J.P. 313
Demdoum, L. see Trotignon, J.P. 319
Demosthenous, G.A. see Mamalis, A.G. 425
Dickman, O. see Berlin, P. 235
Drew, R.A.L. see Shanker, K. 47
Drzal, L.T. see Herrera-Franco, P.J. 2

Etemad, M.R., Pask, E. and Besant, C.B.
Hoop strength characterization of high strength carbon fibre composites 253
Evans, K.E. see Alderson, K.L. 167

Fan, J. see Zhang, J. 291
Fan, J. see Zhang, J. 299
Filiou, C., Galiotis, C. and Batchelder, D.N.
Residual stress distribution in carbon fibre/thermoplastic matrix pre-impregnated composite tapes 28

Galiotis, C. see Filiou, C. 28
Gamble, A.J. see Daadbin, A. 210
Gan, Y.X., Wang, F.H., Yih, P. and Chen, C.Q.
Permeability and permittivity measurement and reflectivity calculation for microwave-absorbing composite material containing a resonator and an electromagnetic loss substance 435
Garbassi, F. see Occhiello, E. 193
Groves, D.J., Bellamy, A.M. and Stocks, D.M.
Anisotropic rheology of continuous fibre thermoplastic composites 75
Guerrini, G.L. see Occhiello, E. 193

Hamada, H., Coppola, J.C. and Hull, D.
Effect of surface treatment on crushing behaviour of glass cloth/epoxy composite tubes 93
Hamada, H., Coppola, J.C., Hull, D., Maekawa, Z. and Sato, H.
Comparison of energy

© 1992 Butterworth–Heinemann Ltd

composites

Published by Butterworth-Heinemann Ltd

Index to volume 23 (1992)

No 1 (January) pp 1–72
No 2 (March) pp 73–144
No 3 (May) pp 145–208
No 4 (July) pp 209–288
No 5 (September) pp 289–384
No 6 (November) pp 385–480

Author Index

Akay, M.
Bearing strength of as-cured and hygrothermally conditioned carbon fibre/epoxy composites under static and dynamic loading 101
Alderson, K.L. and Evans, K.E.
Failure mechanisms during the transverse loading of filament-wound pipes under static and low velocity impact conditions 167
Asai, H. see Nakao, F. 365
Atcholi, K.E., Oytana, C., Varchon, D. and Perreux, D.
Superposed torsion–flexure of composite materials: experimental method and example of application 327

Bader, M.G. see Leaity, M.A. 387
Bader, M.G. see Leaity, M.A. 397
Batchelder, D.N. see Filiou, C. 28
Beaumont, P.W.R. see Spearing, S.M. 305
Bellamy, A.M. see Groves, D.J. 75
Berlin, P., Dickman, O. and Larsson, F.
Effects of heat radiation on carbon/PEEK, carbon/epoxy and glass/epoxy composites 235
Besant, C.B. see Etemad, M.R. 253
Boey, F.Y.C. and Lye, S.W.
Void reduction in autoclave processing of thermoset composites. Part 1: High pressure effects on void reduction 261
Boey, F.Y.C. and Lye, S.W.
Void reduction in autoclave processing of thermoset composites. Part 2: Void reduction in a microwave curing process 266

Cazeneuve, C., Joguet, P., Maile, J.C. and Oytana, C.
Predicting the mechanical behaviour of Kevlar/epoxy and carbon/epoxy filament-wound tubes 415
Chen, C.Q. see Gan, Y.X. 435
Chung, D.D.L. see Yang, X. 453
Chung, D.D.L. see Zhu, M. 355
Coppola, J.C. see Hamada, H. 93
Coppola, J.C. see Hamada, H. 245
Cudmore, A.M. see Mead, D.J. 223
Cui, W.C., Wisnom, M.R. and Jones, M.
A comparison of failure criteria to predict delamination of unidirectional glass/epoxy specimens waisted through the thickness 158
Curtis, P.T. see Leaity, M.A. 387

Daadbin, A., Gamble, A.J. and Sumner, N.D.
The effect of the interphase and material properties on load transfer in fibre composites 210
De Goeje, M.P. and Wapenaar, K.E.D.
Non-destructive inspection of carbon fibre-reinforced plastics using eddy current methods 147
Demdoum, L. see Trotignon, J.P. 313
Demdoum, L. see Trotignon, J.P. 319
Demosthenous, G.A. see Mamalis, A.G. 425
Dickman, O. see Berlin, P. 235
Drew, R.A.L. see Shanker, K. 47
Drzal, L.T. see Herrera-Franco, P.J. 2

Etemad, M.R., Pask, E. and Besant, C.B.
Hoop strength characterization of high strength carbon fibre composites 253
Evans, K.E. see Alderson, K.L. 167

Fan, J. see Zhang, J. 291
Fan, J. see Zhang, J. 299
Filiou, C., Galiotis, C. and Batchelder, D.N.
Residual stress distribution in carbon fibre/thermoplastic matrix pre-impregnated composite tapes 28

Galiotis, C. see Filiou, C. 28
Gamble, A.J. see Daadbin, A. 210
Gan, Y.X., Wang, F.H., Yih, P. and Chen, C.Q.
Permeability and permittivity measurement and reflectivity calculation for microwave-absorbing composite material containing a resonator and an electromagnetic loss substance 435
Garbassi, F. see Occhiello, E. 193
Groves, D.J., Bellamy, A.M. and Stocks, D.M.
Anisotropic rheology of continuous fibre thermoplastic composites 75
Guerrini, G.L. see Occhiello, E. 193

Hamada, H., Coppola, J.C. and Hull, D.
Effect of surface treatment on crushing behaviour of glass cloth/epoxy composite tubes 93
Hamada, H., Coppola, J.C., Hull, D., Maekawa, Z. and Sato, H.
Comparison of energy

© 1992 Butterworth–Heinemann Ltd

absorption of carbon/epoxy and carbon/PEEK composite tubes 245
Häusler, K. see Sayir, M.B. 441
Hawkins, G.L. see Shenoi, R.A. 335
Henaff-Gardin, C. and Lafarie-Frenot, M.C. Fatigue behaviour of thermoset and thermoplastic cross-ply laminates 109
Herrera-Franco, P.J. and Drzal, L.T. Comparison of methods for the measurement of fibre/matrix adhesion in composites 2
Hollaway, L. see O'Neill, M. 347
Hull, D. see Hamada, H. 93
Hull, D. see Hamada, H. 245

Jin, X.-D. see Li, K. 54
Joguet, P. see Cazeneuve, C. 415
Jones, M. see Cui, W.C. 158

Khastgir, D. see Pramanik, P.K. 183
Kim, R.Y. see Mall, S. 215
Kortschot, M.T. see Spearing, S.M. 305

Lafarie-Frenot, M.C. see Henaff-Gardin, C. 109
Larsson, F. see Berlin, P. 235
Leaity, M.A., Smith, P.A., Bader, M.G. and Curtis, P.T. The behaviour of cross-ply hybrid matrix composite laminates. Part 1: Experimental results 387
Leaity, M.A., Smith, P.A. and Bader, M.G. The behaviour of cross-ply hybrid matrix composite laminates. Part 2: Modelling 397
Levy-Neto, F. see Mistry, J. 271
Li, K., Jin, X.-D., Yan, B.-D. and Li, P.-X. Effect of SiC particles on fatigue crack propagation in SiC/Al composites 54
Li, P.-X. see Li, K. 54
Loskutov, O.D. see Trapeznikov, D.A. 174
Lye, S.W. see Boey, F.Y.C. 261
Lye, S.W. see Boey, F.Y.C. 266

Maekawa, Z. see Hamada, H. 245
Maile, J.C. see Cazeneuve, C. 415
Mall, S. and Kim, R.Y. Failure mechanisms in laminates of silicon carbide/calcium-aluminosilicate ceramic composite 215
Mamalis, A.G., Manolakos, D.E. and Demosthenous, G.A. Crushing behaviour of thin-walled, non-circular, glass fibre-reinforced composite tubular components due to bending 425
Manolakos, D.E. see Mamalis, A.G. 425
Mavropoulos, L.T. see Shanker, K. 47
Mead, D.J. and Cudmore, A.M. Measurement of the dynamic shear moduli of a transversely isotropic fibre-reinforced plastic 223
Mistry, J. and Levy-Neto, F. The behaviour of repaired composite domes subjected to external pressure 271
Moore, R.E. see Ozturk, A. 39
Morra, M. see Occhiello, E. 193
Mottram, J.T. Lateral–torsional buckling of a pultruded I-beam 81

Nakao, F., Takenaka, Y. and Asai, H. Surface characterization of carbon fibres and interfacial properties of carbon fibre composites 365

Occhiello, E., Morra, M., Guerrini, G.L. and Garbassi, F. Adhesion properties of plasma-treated carbon/PEEK composites 193
O'Neill, M. and Hollaway, L. A study of the thermal behaviour of carbon fibre-reinforced thermoplastic structures in geosynchronous equatorial orbit 347
Oytana, C. see Atcholi, K.E. 327
Oytana, C. see Cazeneuve, C. 415
Ozturk, A. and Moore, R.E. Tensile fatigue behaviour of tightly woven carbon/carbon composites 39

Partl, M. see Sayir, M.B. 441
Pask, E. see Etemad, M.R. 253
Perreux, D. see Atcholi, K.E. 327
Pramanik, P.K., Khastgir, D. and Saha, T.N. Conductive nitrile rubber composite containing carbon fillers: studies on mechanical properties and electrical conductivity 183

Saha, T.N. see Pramanik, P.K. 183
Sato, H. see Hamada, H. 245
Sayir, M.B., Häusler, K. and Partl, M. Impact behaviour of corrugated sheets of fibre-reinforced cement 441
Shanker, K., Mavropoulos, L.T., Drew, R.A.L. and Tsantrizos, P.G. Properties of TaC-based metal-matrix composites produced by melt infiltration 47
Shenoi, R.A. and Hawkins, G.L. Influence of material and geometry variations on the behaviour bonded tee connections in FRP ships 335
Smith, P.A. see Leaity, M.A. 387
Smith, P.A. see Leaity, M.A. 397
Soutis, C. see Zhang, J. 291
Soutis, C. see Zhang, J. 299
Spearing, S.M. Beaumont, P.W.R. and Kortschot, M.T. The fatigue damage mechanics of notched carbon fibre/PEEK laminates 305
Stocks, D.M. see Groves, D.J. 75
Sumner, N.D. see Daadbin, A. 210

Takenaka, Y. see Nakao, F. 365
Toropov, A.I. see Trapeznikov, D.A. 174
Trapeznikov, D.A., Toropov, A.I. and Loskutov, O.D. Modelling approach to optimization of mechanical properties of discontinuous fibre-reinforced C/C composites 174
Trotignon, J.P., Demdoum, L. and Verdu, J. Effect of mineral fillers in low concentration on the mechanical properties of polymeric materials. Part 1: Static and fatigue fracture of polypropylene, qualitative aspects 313
Trotignon, J.P., Demdoum, L. and Verdu, J. Effect of mineral fillers in low concentration on the mechanic properties of polymeric materials. Part 2: Fatigue of polypropylene, kinetic aspects 319
Tsantrizos, P.G. see Shanker, K. 47

Varchon, D. see Atcholi, K.E. 327

Verdu, J. see Trotignon, J.P. 313
Verdu, J. see Trotignon, J.P. 319

Wang, F.H. see Gan, Y.X. 435
Wapenaar, K.E.D. see De Goeje, M.P. 147
Wisnom, M.R. see Cui, W.C. 158
Wüthrich, C.
Thick-walled composite tubes under mechanical and hygrothermal loading 407

Yan, B.-D. see Li, K. 54
Yang, X. and Chung, D.D.L.
Latex-modified cement mortar reinforced by short carbon fibres 453
Yih, P. see Gan, Y.X. 435

Zhang, J., Fan, J. and Soutis, C.
Analysis of multiple matrix cracking in $[\pm \theta_m/90_n]_s$ composite laminates. Part 1: In-plane stiffness properties 291
Zhang, J., Fan, J. and Soutis, C.
Analysis of multiple matrix cracking in $[\pm \theta_m/90_n]_s$ composite laminates. Part 2: Development of transverse ply cracks 299
Zhu, M. and Chung, D.D.L.
A three-dimensionally interconnected metal-spring network in a silicone matrix as a resilient and electrically conducting composite material 355

Keyword Index

Adhesion
Fibre/matrix interface, Single-fibre techniques 2
Adhesive bonding
Plasma treatment, Wettability 193
Autoclave processing
Void content, Void diameter 261
Microwave curing, Void content 266
Axial compression
Tubes, Specific energy absorption 245

Bonded joints
Design, Tee connections 335

Carbon fibres
Surface characterization, Electrolyte 365
Contact electrical resistivity
Volume electrical resistivity, Three-dimensional interconnected network 355
Corrugated sheets
Impact behaviour, Force/time curves 441
Critical concentration
Mechanical properties, Volume resistivity 183
Critical loading
Pultruded I-beams, Lateral–torsional buckling 81
Cross-ply laminates
Transverse ply cracking, In-plane stiffness 291
Transverse ply cracking, Energy release rate 299
Hybrid matrix, Transverse cracking 387
Hybrid matrix, Transverse cracking 397
Cross-sectional shape
Tubes, Crushing behaviour 425
Crushing behaviour
Tubes, Cross-sectional shape 425
Crushing performance
Tubes, Energy absorption 93

Damage
Fatigue testing, Fractography 109
Design
Bonded joints, Tee connections 335
Discontinuous fibres
Fabrication, Strength 174
Domes
Repair, External pressure 271

Eddy current
Non-destructive testing, Ultrasonic inspection 147
Elastic modulus
Fatigue, Static tensile strength 39
Electrolyte
Carbon fibres, Surface characterization 365
Electromagnetic loss substance
Microwave absorbance, Resonator 435
Energy absorption
Tubes, Crushing performance 93
Energy dissipation
Fatigue testing, Engineering stress 319
Energy release rate
Cross-ply laminates, Transverse ply cracking 299
Engineering stress
Fatigue testing, Energy dissipation 319
External pressure
Domes, Repair 271

Fabrication
Discontinuous fibres, Strength 174
Failure criteria
Fracture mechanics, Failure mechanisms 158
Failure mechanisms
Failure criteria, Fracture mechanics 158
Failure stress
Filament-wound tubes, Mechanical properties 415
Fatigue
Static tensile strength, Elastic modulus 39
Heat treatment, Fatigue crack propagation rate 54
Fatigue strength, Residual strength 305
Fatigue crack propagation rate
Fatigue, Heat treatment 54
Fatigue strength
Pin bearing strength, Hygrothermal behaviour 101
Fatigue, Residual strength 305
Fatigue testing
Damage, Fractography 109
Flexural properties, Static testing 313
Engineering stress, Energy dissipation 319
Fatigue tests
Static tests, Multiaxial stress state 327
Fibre-reinforced cement
Latex modifier, Flexural strength 453
Fibre/matrix interface
Adhesion, Single-fibre techniques 2
Filament-wound pipes
Transverse loading, Strain gauging 167
Filament-wound tubes
Mechanical properties, Failure stress 415
Flexural properties
Static testing, Fatigue testing 313
Flexural strength
Fibre-reinforced cement, Latex modifier 453
Force/time curves
Corrugated sheets, Impact behaviour 441
Fractography
Fatigue testing, Damage 109
Fracture mechanics
Failure criteria, Failure mechanisms 158

Geosynchronous earth orbit
Space structures, Thermal behaviour 347
Heat radiation
Visible defects, Mechanical properties 235
Heat treatment
Fatigue, Fatigue crack propagation rate 54
Hoop strength
Mechanical properties, Hydraulic rig 253
Hybrid matrix
Cross-ply laminates, Transverse cracking 387
Cross-ply laminates, Transverse cracking 397
Hydraulic rig
Mechanical properties, Hoop strength 253
Hygrothermal behaviour
Pin bearing strength, Fatigue strength 101

Impact behaviour
Corrugated sheets, Force/time curves 441
In-plane stiffness
Cross-ply laminates, Transverse ply cracking 291
Interphase
Shear stress, Mechanical properties 210

Laminates
Mechanical properties, Matrix cracking 215
Laser Raman spectroscopy
Prepregs, Residual stress 28
Lateral–torsional buckling
Pultruded I-beams, critical loading 81
Latex modifier
Fibre-reinforced cement, Flexural strength 453
Loading conditions
Stress analysis, Thermal expansion 407

Matrix cracking
Laminates, Mechanical properties 215
Mechanical properties
Melt infiltration, Microstructure 47
Volume resistivity, Critical concentration 183
Interphase, Shear stress 210
Laminates, Matrix cracking 215
Heat radiation, Visible defects 235
Hoop strength, Hydraulic rig 253
Filament-wound tubes, Failure stress 415
Melt infiltration
Mechanical properties, Microstructure 47
Microstructure
Melt infiltration, Mechanical properties 47
Microwave absorbance
Electromagnetic loss substance, Resonator 435
Microwave curing
Autoclave processing, Void content 266
Multiaxial stress state
Static tests, Fatigue tests 327

Natural frequencies
Shear moduli, Torsional vibration 223
Non-destructive testing
Eddy current, Ultrasonic inspection 147

Pin bearing strength
Fatigue strength, Hygrothermal behaviour 101
Plasma treatment
Adhesive bonding, Wettability 193
Prepregs
Residual stress, Laser Raman spectroscopy 28
Pultruded I-beams
Lateral–torsional buckling, Critical loading 81

Repair
Domes, External pressure 271
Residual strength
Fatigue, Fatigue strength 305
Residual stress
Prepregs, Laser Raman spectroscopy 28
Resonator
Microwave absorbance, Electromagnetic loss substance 435

Shear flow
Shear modulus, Shear viscosity 75
Shear moduli
Torsional vibration, Natural frequencies 223
Shear modulus
Shear flow, Shear viscosity 75
Shear stress
Interphase, Mechanical properties 210
Shear viscosity
Shear flow, Shear modulus 75
Single-fibre techniques
Fibre/matrix interface, Adhesion 2
Space structures
Thermal behaviour, Geosynchronous earth orbit 347
Specific energy absorption
Tubes, Axial compression 245
Static tensile strength
Fatigue, Elastic modulus 39
Static testing
Flexural properties, Fatigue testing 313
Static tests
Fatigue tests, Multiaxial stress state 327
Strain gauging
Filament-wound pipes, Transverse loading 167
Strength
Discontinuous fibres, Fabrication 174
Stress analysis
Loading conditions, Thermal expansion 407
Surface characterization
Carbon fibres, Electrolyte 365

Tee connections
Bonded joints, Design 335
Thermal behaviour
Space structures, Geosynchronous earth orbit 347
Thermal expansion
Stress analysis, Loading conditions 407
Three-dimensional interconnected network
Volume electrical resistivity, Contact electrical resistivity 355
Torsional vibration
Shear moduli, Natural frequencies 223
Transverse cracking
Hybrid matrix, Cross-ply laminates 387
Hybrid matrix, Cross-ply laminates 397
Transverse loading
Filament-wound pipes, Strain gauging 167
Transverse ply cracking
Cross-ply laminates, In-plane stiffness 291
Cross-ply laminates, Energy release rate 299
Tubes

Energy absorption, Crushing performance 93
Axial compression, Specific energy absorption 245
Cross-sectional shape, Crushing behaviour 425

Ultrasonic inspection
Eddy current, Non-destructive testing 147

Visible defects
Heat radiation, Mechanical properties 235

Void content
Autoclave processing, Void diameter 261
Autoclave processing, Microwave curing 266

Void diameter
Autoclave processing, Void content 261

Volume electrical resistivity
Contact electrical resistivity, Three-dimensional inter-connected network 355

Volume resistivity
Mechanical properties, Critical concentration 183

Wettability
Adhesive bonding, Plasma treatment 193

Abstracts
Abstracts of patents 61, 135, 204, 283, 379, 466
Abstracts of conference papers FFIC 117
Literature survey 59, 133, 202, 280, 375, 462

Book Reviews 279, 373

Calendar 71, 142, 207, 287, 383, 471

Conference Abstracts 117

Conference Report 201